

# INDEX MAPS.

## T. 17N, R. 5 E. 2<sup>nd</sup> Mer.

	442		442		441		441		441		440
444	6	464	5	459	4	455	3	451	2	447	1 440
	<del>464</del>		<del>463</del>		<del>458</del>		<del>454</del>		<del>451</del>		<del>447</del>
444	7	463	8	458	9	454	10	450	11	447	12 440
	<del>463</del>		<del>462</del>		<del>458</del>		<del>454</del>		<del>450</del>		<del>446</del>
443	18	462	17	457	16	453	15	450	14	446	13 439
	<del>462</del>		<del>461</del>		<del>457</del>		<del>453</del>		<del>449</del>		<del>446</del>
443	19	461	20	457	21	453	22	449	23	445	24 439
	<del>461</del>		<del>460</del>		<del>456</del>		<del>452</del>		<del>449</del>		<del>445</del>
443	30	460	29	456	28	452	27	448	26	445	25 439
	<del>460</del>		<del>459</del>		<del>455</del>		<del>452</del>		<del>448</del>		<del>445</del>
442	31	459	32	455	33	451	34	448	35	444	36 439
	<del>437</del>		<del>437</del>		<del>437</del>		<del>438</del>		<del>438</del>		<del>438</del>

## T. 18N, R. 5 E. 2<sup>nd</sup> Mer.

	472		471		471		471		471		470
474	6	499	5	492	4	488	3	483	2	478	1 470
	<del>499</del>		<del>498</del>		<del>492</del>		<del>487</del>		<del>483</del>		<del>478</del>
473	7	498	8	492	9	487	10	483	11	478	12 470
	<del>497</del>		<del>497</del>		<del>491</del>		<del>487</del>		<del>482</del>		<del>477</del>
473	18	496	17	491	16	486	15	482	14	477	13 469
	<del>496</del>		<del>496</del>		<del>490</del>		<del>486</del>		<del>481</del>		<del>476</del>
473	19	495	20	490	21	485	22	481	23	476	24 469
	<del>495</del>		<del>494</del>		<del>489</del>		<del>485</del>		<del>480</del>		<del>476</del>
472	30	494	29	489	28	485	27	480	26	475	25 469
	<del>494</del>		<del>493</del>		<del>489</del>		<del>484</del>		<del>479</del>		<del>475</del>
472	31	493	32	488	33	484	34	479	35	474	36 469
	<del>468</del>		<del>468</del>		<del>468</del>		<del>467</del>		<del>467</del>		<del>467</del>

Meanders 500-

[P] The figures on the lines refer to the page.

437

Township N. 17 North, Range N. 5 East 2. Mer. Indiana.

Township Lines.

Ch. 1st South Boundary.

Bearings for corner of T. 17 N, R. 4 & 5 E.

a Beech 20 in. dia. bears S 84° W 39 lks. dist. 8

a Do 10 " " " S 25° E 23 " "

East on the S. Boundary of Sec. 31

2.10 a Brook 10 lks. wide course SW

21.42 a W. Oak 48 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears S 89° W 12 lks. dist. 4

a Do 8 " " " N 2° E 16 " "

52.25 an Ash 30 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 14 in. dia. bears N 85° W 14 lks. dist. 8

an Ash 13 " " " N 62° E 10 " "

Over level land. Timber Beech, Ash, Sugar. Spice

---

East on the S. Boundary of Sec. 32

29.44 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears N 70° W 22 lks. dist. 8

a Buckeye 6 " " " N 22° E 9 " "

55.81 a Sugar 24 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 16 in. dia. bears S 58° W 16 lks. dist. 8

a Do 14 " " " N 23° E 16 " "

Over level land. Timber Beech, Ash & Wyp. Spice

---

East on the S. Boundary of Sec. 33

6.80 a Brook 8 lks. wide course S.

34.80 a Creek 50 " " " NE

40.00 set g. sec. post from which

an Ash 10 in. dia. bears S 60° W 2 lks. dist. 8

a Beech 10 " " " N 45° E 8 " "

64.06 a Beech 14 " "

80.00 set post cor. of sec. 33 & 34 from which

Chas. L. No. T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Beech 18 in. dia. bears N 65° W 24 1/2 Ms. dist. 8  
 a Do 12 " " " S 70° E 26 " "  
 Over good farming land. Timber Beech, Ash,  
 Sugar. Uls. Spice &c.

East on the S. Boundary of Sec. 34

28.25 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 66° W 20 1/2 Ms. dist. 8  
 an Oak 30 " " " N 2° E 17 " "

67.55 an Ash 14 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 10 in. dia. bears N 81° W 40 1/2 Ms. dist. 8  
 an Ash 18 " " " S 83° W 25 " "  
 Over good land. Ash, Beech, Sugar. Spice

East on the S. Boundary of Sec. 35

12.00 a Sycamore 4 in. dia.

40.00 set g. sec. post from which

a Sugar 20 in. dia. bears S 40° W 21 1/2 Ms. dist. 8  
 a Beech 14 " " " N 58° E 11 " "

71.70 a Maple 24 " "

80.00 set post cor. of sec. 35 & 36 from which

an Elm 10 in. dia. bears N 78° W 32 1/2 Ms. dist. 8  
 an Ash 8 " " " N 71° E - " "  
 Over wet land. Timber Elm, Ash, Maple

East on the S. Boundary of Sec. 36

11.80 an Ash 30 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 34° W 11 1/2 Ms. dist. 8  
 a Hickory 12 " " " S 65° E 33 " "

80.00 set post cor. of T. 17 N., R. 5 E. 2<sup>d</sup> from which

a Beech 8 in. dia. bears N 27° E 7 1/2 Ms. dist. 8  
 a Do 8 " " " S 37° W 23 " "  
 Over level land. Timber Oak, Beech &c.

Ch. 10. T. 17 N., R. 5 E. 2. Mer. Ind. a.

East Boundary. Var. C. 00. E.  
North on the E. Boundary of Sec. 36

3.10 a Beech 14 in. dia.

40.00 set gr. sec. port from which

an Ark 8 in. dia. bears S 20° W 17 lbs. dist. 8

a Do 6 " " " North 6 " "

74.87 a Hickory 18 " "

80.00 set port cor. of sec. 25 & 36 from which

a Poplar 10 in. dia. bears S 17° W 16 lbs. dist. 8

a Beech 6 " " " N 41° E 19 " "

Over rich land. Timber Hickory, Ark, Elm  
Y. Upr. Ash Y.

North on the E. Boundary of Sec. 25

40.00 set gr. sec. port from which

an Ark 7 in. dia. bears S 16° W 14 lbs. dist. 8

a Do 14 " " " N 37° E 11 " "

49.12 a Hickory 14 " "

80.00 set port cor. of sec. 24 & 25 from which

an Ark 18 in. dia. bears S 7° E 25 lbs. dist. 8

a Beech 10 " " " N 54° W 28 " "

Over good farming land. Timber Beech, Ark,  
Hickory Y. Upr. Spice

North on the E. Boundary of Sec. 24

21.08 a Hickory 20 in. dia.

40.00 set gr. sec. port from which

a Maple 20 in. dia. bears S 8° W 26 lbs. dist. 8

an Oak 12 " " " N 12° W 9 " "

40.50 an Oak 24 " "

80.00 set port cor. of sec. 13 & 24 from which

an Elm 6 in. dia. bears S 9° E 7 lbs. dist. 8

an Oak 8 " " " N 11° E 17 " "

Land & timber as before described.

North on the E. Boundary of Sec. 13



T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.  
Ch<sup>a</sup>. Lk<sup>a</sup>.

29.00 a Beech 20 in. dia.

40.00 set g. sec. post from which  
a Hornbeam 8 in. dia. bears S 12 W 25 lks. dist. &  
an Elm 20 " " " N 29 E 5 " "

52.61 a Hickory 18 " "

80.00 set post cor. of sec. 12 & 13 from which  
a Beech 10 in. dia. bears S 14 E 28 lks. dist. &  
a Do 10 " " " N 12 W 23 " "  
Land & timber as last described.

North on the E. Boundary of Sec. 12

4.26 a W. Oak 48 in. dia.

40.00 set g. sec. post from which  
a Beech 8 in. dia. bears S 1 E 18 lks. dist. &  
a Do 8 " " " N 6 W 19 " "

63.13 a Beech 16 " "

72.50 a Brook 6 lks. wide curve W

80.00 set post cor. of sec. 1 & 12 from which  
a Beech 10 in. dia. bears S 53 W 21 lks. dist. &  
a Do 6 " " " S 86 E 5 " "  
Land & timber as last described.

North on the E. Boundary of Sec. 1

28.50 a Creek 100 lks. wide curve W

40.00 set g. sec. post from which  
a Beech 8 in. dia. bears S 15 W 31 lks. dist. &  
a Do 7 " " " N 10 W 32 " "

80.00 set temp. post for cor. of T. 17 & 18 N., R. 5 & 6 E.  
Over good farming land. Timber Beech,  
Ash, Sugar. Asp. Spruce. Nov. 3, 1819

North Boundary. Var. 6. 25. E.

Bearings for corner of T. 17 & 18 N., R. 5 & 6 E.

a Sugar 24 in. dia. bears S 75 E 28 lks. dist. &  
a Beech 12 " " " N 60 W 13 " "

West on the S. Boundary of Sec. 36, T. 18 N., R. 5 E.

T 17 N, R 5 E, 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. 2<sup>d</sup>

8.60 a Sugar 20 in. dia.  
21.50 a creek 50 yds. wide runs S.W.  
40.00 set of sec. post from which  
a Beech 20 in. dia. bears S 7 E 5 yds. dist. &  
a Hickory 18 " " " N 4 E 23 " "  
69.53 a B Walnut 34 in. dia.  
80.00 set post cor. of sec. 35 & 36 from which  
a ——— 12 in. dia. bears N 28 E 13 yds. dist. &  
a Do 24 " " " S 30 W 23 " "

West on the S. Boundary of Sec. 35, T 18 N, R 5 E  
11.10 a Beech 12 in. dia.  
40.00 set of sec. post from which  
a Sugar 14 in. dia. bears N 48 E 19 yds. dist. &  
a Beech 10 " " " S 39 W 18 " "  
71.58 a Sugar 18 " "  
80.00 set post cor. of sec. 34 & 35 from which  
a Beech 18 in. dia. bears S 5 W 10 yds. dist. &  
a Do 12 " " " N 78 E 19 " "

West on the S. Boundary of Sec. 34, T 18 N, R 5 E  
10.44 a Beech 12 in. dia.  
15.50 a Branch 6 yds. wide runs NW  
27.00 a creek 50 " " " SW  
40.00 set of sec. post from which  
an Ash 6 in. dia. bears N 48 W 5 yds. dist. &  
a Do 9 " " " S 56 W 31 " "  
54.20 a Beech 12 " "  
80.00 set post cor. of sec. 33 & 34 from which  
a Beech 24 in. dia. bears S 53 E 20 yds. dist. &  
a Do 24 " " " S 60 W 42 " "

West on the S. Boundary of Sec. 33, T 18 N, R 5 E  
16.40 a Beech 14 in. dia.  
40.00 set of sec. post from which  
a Beech 18 in. dia. bears N 65 W 31 yds. dist. &

T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. Lk.

a Beech 16 in. dia. bears N 83 E 32 lks. dist.  
 45.00 a R. Oak 36 " "  
 80.00 set post cor. of sec. 32 & 33 from which  
 an Ash 14 in. dia. bears N 19 E 5 lks. dist. &  
 a Do 6 " " " N 82 E 18 " "

West on the S. Boundary of Sec. 32, T 18 N, R 5 E  
 12.90 a Beech 30 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 18 in. dia. bears N 78 E 15 lks. dist. &  
 a Sugar 18 " " " S 68 W 25 " "  
 47.45 a Honey Locust 24 in. dia.  
 59.00 a creek 50 lks. wide runs SW  
 80.00 set post cor. of sec. 31 & 32 from which  
 a Hickory 18 in. dia. bears S 26 E 14 lks. dist. &  
 a Beech 18 " " " N 50 W 37 " "

West on the S. Boundary of Sec. 31, T 18 N, R 5 E  
 12.50 an Ash 24 in. dia.  
 18.00 a Branch 5 lks. wide runs S.  
 40.00 set g. sec. post from which  
 a W. Oak 14 in. dia. bears S 84 W 40 lks. dist. &  
 a Hickory 16 " " " S 85 E 13 " "  
 47.75 an Ash 18 " "  
 83.30 Intersect Range line between Ranges 4 & 5 E.  
 110 lks. N. of temp. post - set post at intersect-  
 ion cor. of T. 17 & 18 N, R. 4 & 5 E. from which  
 a Beech 12 in. dia. bears N 53 E 24 lks. dist. &  
 a Hornbeam 6 " " " S 14 W 5 " "  
 (Description of land &c. omitted throughout)

West Boundary. Var. 5.55 E.  
 North on the E. Boundary of Sec. 36, T 17 N, R 4 E  
 4.00 a Brook 7 lks. wide course NW  
 27.00 a Do 4 " " " NW  
 40.00 set g. sec. post from which

443

*T 17 N., R. 5 E. 2. Mer. Ind. a.*  
*E. H. S. W.*

a Hackberry 20 in. dia. bears S 20 W 31 Ws. dist. 8  
a Buckeye 12 " " " N 17 W 32 " "  
41.50 a creek 150 Ws. wide course SW  
80.00 set post cor. of sec. 25 & 30 from which  
a Beech 15 in. dia. bears S 3 E 24 Ws. dist. 8  
a Do 12 " " " N 40 W 29 " "  
Over broken land. Timber Beech, Ash &c.

---

*North on the E. Boundary of Sec. 25, T 17 N., R 4 E*

40.00 set of sec. post from which  
a Beech 7 in. dia. bears S 1 E 5 Ws. dist. 8  
a Hickory 12 " " " N 21 E 25 " "  
60.05 a Sugar 18 " "  
63.00 a creek 30 Ws. wide course SW  
80.00 set post cor. of sec. 24 & 25 from which  
a Hackberry 28 in. dia. bears S 25 E 20 Ws. dist. 8  
a Hickory 8 " " " N 38 W 21 " "  
Over rolling land. Timber Beech, Sugar, Oak &c.

---

*North on the E. Boundary of Sec. 24, T 17 N., R 4 E*

10.55 an Ash 30 in. dia.  
40.00 set of sec. post from which  
a Gum 8 in. dia. bears S 3 E 19 Ws. dist. 8  
a Hickory 6 " " " S 84 W 15 " "  
80.00 set post cor. of sec. 13 & 24 from which  
a Hickory 7 in. dia. bears S 17 W 15 Ws. dist. 8  
an Ash 10 " " " N 82 W 6 " "  
Land & timber same as last described.

---

*North on the E. Boundary of Sec. 13, T 17 N., R 4 E.*

40.00 set of sec. post from which  
a Beech 12 in. dia. bears S 44 W 36 Ws. dist. 8  
a Sugar 18 " " " N 31 E 18 " "  
50.04 a Hickory 18 " "  
80.00 set post cor. of sec. 12 & 13 from which  
a Hickory 13 in. dia. bears S 37 W 28 Ws. dist. 8



Ch<sup>d</sup> 301. T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

a Hickory 8 in. dia. bears N 61 E 29 Ws. dist.  
Over level land, Timber Beech, Oak, Hickory  
Wgs. Spruce

North on the E. Boundary of Sec. 12, T. 17 N., R. 4 E.  
35.08 a Hickory 18 in. dia.

40.00 set g. sec. post from which  
a Beech 7 in. dia. bears S 65 E 6 Ws. dist. &  
a Hickory 10 " " " S 58 W 27 " "

80.00 set post cor. of sec. 10 & 12 from which  
a Beech 18 in. dia. bears S 79 W 26 Ws. dist. &  
a Do 14 " " " N 37 E 43 " "  
Land &c. same as last described.

North on the E. Boundary of Sec. 1, T. 17 N., R. 4 E.

40.00 set g. sec. post from which  
an Ash 15 in. dia. bears S 6 E 10 Ws. dist. &  
an Elm 9 " " " N 75 E 9 " "

57.72 a W. Oak 18 " "

80.00 set temp. post for cor. of T. 17 & 18 N., R. 4 & 5 E.  
Over land & timber as before described.

November 2. 1819. John M. Donald  
Deputy Surveyor.

### Subdivision.

North between Sec. 35 & 36

17.06 an Ash 14 in. dia.

40.00 set g. sec. post from which  
an Ash 10 in. dia. bears N 9 W 15 Ws. dist. &  
a Beech 14 " " " S 63 E 27 " "

59.37 a Buckeye 12 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which  
a Beech 12 in. dia. bears N 89 E 7 Ws. dist. &  
a Sugar 14 " " " N 89 W 15 " "

Land 2. rate, 1<sup>st</sup> half mile Swamp, Ash, Beech &c.



T 17 N., R. 5 E. 2. Mer. Ind.  
Ch. 20.

East in Random between Sec. 25 & 36

40.00 set temp. gr. sec. post

81.65 Intersect E. Boundary 136 Yds. S. of post -

Land 2<sup>d</sup> rate, flat, timber Ash, Hickory &c.

West Corrected between Sec. 25 & 36

40.82½ set gr. sec. post at aver. dist. from which  
an Ash 7 in. dia. bears S 82° W 16 Yds. dist. &

a Do 4 " " " S 20° W 13 " "

81.65 to sec. cor.

North between Sec. 25 & 26

19.95 a Sugar 18 in. dia.

40.00 set gr. sec. post from which

a Beech 18 in. dia. bears N 39° W 35 Yds. dist. &

a Do 12 " " " S 49° E 10 " "

47.00 a Stream 5 Yds. wide course SW

59.35 a Beech 14 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

an Ironwood 6 in. dia. bears N 87° W 6 Yds. dist. &

a 13 Walnut 10 " " " N 86° E 23 " "

Land 2<sup>d</sup> rate, timber Beech, Oak, Ash, Hickory

East in Random between Sec. 24 & 25

40.00 set temp. gr. sec. post

82.00 Intersect E. Boundary 89 Yds. S. of post -

Land level 2<sup>d</sup> rate, timber Beech, Oak, Ash,  
Hickory &c. Upr. brushy

West Corrected between Sec. 24 & 25

41.00 set gr. sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 44° E 10 Yds. dist. &

a Do 12 " " " S 67° W 25 " "

82.00 to sec. cor.

North between Sec. 23 & 24

T. 17 N., R. 5 E., T. 2 Mer. Ind.<sup>a</sup>  
 Ch. 1<sup>st</sup> 1<sup>st</sup>

21.10 a Beech 14 in. dia.

40.00 set q. sec. post from which  
 a Beech 14 in. dia. bears N 11 W 36 W. dist. 8  
 a Do 10 " " " S 33 W 28 " "

65.00 a Hickory 12 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which  
 a Beech 10 in. dia. bears N 27 W 10 W. dist. 8  
 a Do 10 " " " S 37 E 23 " "  
 Land level 2<sup>d</sup> rate. Beech, Ash, Hickory &c.

East on Random between Sec. 13 & 24

40.00 set temp. q. sec. post

82.25 Intersect E. Boundary 14 W. S. of post—  
 Land 2<sup>d</sup> rate. Timber Beech, Oak, Ash, Hickory &c.

West Corrected between Sec. 13 & 24

41.12 1/2 set q. sec. post at aver. dist. from which  
 a Sugar 14 in. dia. bears S 61 E 15 W. dist. 8  
 a Hickory 14 " " " N 19 W 35 " "

82.25 to sec. cor.

North between Sec. 13 & 14

33.63 a Sugar 14 in. dia.

40.00 set q. sec. post from which  
 a Hornbeam 10 in. dia. bears N 20 E 5 W. dist. 8  
 an Elm 24 " " " S 63 W 20 " "

62.85 a Beech 18 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
 a Beech 20 in. dia. bears N 69 E 4 W. dist. 8  
 a Do 20 " " " S 65 W 38 " "  
 Land level 2<sup>d</sup> rate. Timber, Beech, Oak &c.

East on Random between Sec. 12 & 13

40.00 set temp. q. sec. post

82.00 Intersect E. Boundary 122 W. S. of post—  
 Land level 2<sup>d</sup> rate. Timber as before noted

T. 17 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>  
 Cor. 1<sup>st</sup> 1<sup>st</sup>

West Corrected between Sec. 12 & 13

41.00 set q. sec. post at aver. dist. from which  
 a Poplar - in. dia. bears S60°W 13 lks. dist. &  
 a Beech 10 " " " N83°E 10 " "

82.00 to sec. cor.

---

North between Sec. 11 & 12

22.90 an Ash 20 in. dia.

40.00 set q. sec. post from which  
 a Beech 30 in. dia. bears North 27° lks. dist. &  
 a Do 6 " " " S29°W 7 " "

45.00 a Stream 5 lks. wide course SW

47.48 an Elm 12 in. dia.

80.00 set post cr. of sec. 1, 2, 11 & 12 from which  
 a Beech 20 in. dia. bears N5°E 33 lks. dist. &  
 a Hackberry 18 " " " S42°W 47 " "  
 Last half mile land T.<sup>h</sup> rate. Timber Sugar, Buck-  
 eye, Walnut &c.

---

East in Random between Sec. 1 & 12

40.00 set temp. q. sec. post

70.00 a Stream 5 lks. wide course NW

81.70 Intersect E. Boundary 50 lks. N. of post -  
 Land 2.<sup>d</sup> rate. Timber Beech, Ash &c.

---

West Corrected between Sec. 1 & 12

40.85 set q. sec. post at aver. dist. from which  
 a Beech 10 in. dia. bears N65°W 3 lks. dist. &  
 a Sugar 14 " " " S39°E 23 " "

81.70 to sec. cor.

---

North between Sec. 1 & 2

16.96 an Ash 30 in. dia.

40.00 set q. sec. post from which  
 a B. Walnut 8 in. dia. bears N32°W 5 lks. dist. &  
 a Do 6 " " " N57°E 6 " "

T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chp. 10<sup>a</sup>

50.00 Fall Creek 100 Ws. wide course SW

58.45 a Hackberry 12 in. dia.

87.00 Intersect N. Boundary 88 Ws. N. of port —  
 set post at intersection cor. of sec. 18 & 2 from which  
 a Beech 12 in. dia. bears N 50° W 25 Ws. dist. 8  
 a Do 14 " " " S 85° E 11 " "  
 Land 1<sup>st</sup> rate. Timber Beech, Ash, Walnut &c.

---

North between Sec. 34 & 35

20.64 an Ash 14 in. dia.

40.00 set gr. sec. post from which  
 a Beech 14 in. dia. bears N 23° W 22 Ws. dist. 8  
 a Do 16 " " " S 23° E 16 " "

48.37 a Beech 12 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
 an Ash 6 in. dia. bears N 8° E 10 Ws. dist. 8  
 a Beech 8 " " " S 11° W 44 " "  
 Land level & 2<sup>d</sup> rate. Beech, Ash, Oak, Elm &c.

---

East in Random between Sec. 26 & 35

40.00 set temp. gr. sec. post

81.38 Intersect N. & S. line 34 Ws. S. of port —  
 Land 2<sup>d</sup> rate, level & brushy. Timber Beech, Oak,  
 Ash, Hickory &c.

---

West Corrected between Sec. 26 & 35

40.69 set gr. sec. post at av. dist. from which  
 an Ash 20 in. dia. bears S 55° E 14 Ws. dist. 8  
 a Beech 18 " " " N 8° E 31 " "

81.38 to sec. cor.

---

North between Sec. 26 & 27

40.00 set gr. sec. post from which  
 a Beech 12 in. dia. bears N 52° W 17 Ws. dist. 8  
 a Do 10 " " " S 76° E 11 " "

54.08 a Beech 16 " "

T. 17 N., R. 5 E. 2. Mer. Ind.  
 Ch. 1. 10.

60.00 a Stream 10 Ws. wide course SW

80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
 a Hickory 12 in. dia. bears S 25 E 13 Ws. dist. 8  
 a Beech 14 " " " N 34 W 48 " "  
 Land 2. rate. Timber Beech, Ash &c.

East on Random between Sec. 23 & 26

40.00 set temp. of sec. post

81.27 Intersect N & S. line 7 Ws. N. of post -  
 Land 2. rate level. Timber Beech, Oak &c.

West Corrected between Sec. 23 & 26

40.63 1/2 set of sec. post at aver. dist. from which  
 a Beech 4 in. dia. bears N 75 W 9 Ws. dist. 8  
 a Buckeye 10 " " " S 23 E 37 " "  
 81.27 to sec. cor.

North between Sec. 22 & 23

28.40 a Hickory 30 in. dia.

40.00 set of sec. post from which  
 a Beech 24 in. dia. bears N 36 W 32 Ws. dist. 8  
 a Dr 8 " " " S 34 E 15 " "

55.12 a Beech 12 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
 a Walnut 10 in. dia. bears North 18 Ws. dist. 8  
 a Buckeye 12 " " " S 15 E 21 " "  
 Land 2. rate. Timber Beech, Oak, Ash, Elm,  
 Hickory &c. Ws. Spice

East on Random between Sec. 14 & 23

1.50 a Stream 10 Ws. wide course NW

6.00 same stream " SW

32.50 Do " NW

40.00 set temp. of sec. post

81.50 Intersect N & S. line 98 Ws. N. of post -  
 Land 2. rate, brushy. Timber Beech, Oak &c.



T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chas. Lk.

West Connected between Sec. 14 & 23

40.75 set g. sec. post at aver. dist. from which  
 a Beech 12 in. dia. bears N 24 E 20 Ws. dist. &  
 a Do 18 " " " S 57 W 22 " "

81.50 to sec. cor.

---

North between Sec. 14 & 15

44.70 an Ash 30 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 15 W 20 Ws. dist. &  
 a Sugar 12 " " " S 52 E 22 " "

51.85 an Ash 24 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 24 in. dia. bears West 43 Ws. dist. &  
 a Do 24 " " " S 53 E 47 " "

Land broken 2<sup>d</sup> rate. Timber Beech, Oak &  
 full of brush, Spicewood

---

East on Random between Sec. 11 & 14

10.00 a Stream 5 Ws. wide course NW

34.50 same stream " SW

40.00 set temp. g. sec. post

81.26 Intersect. N. & S. line 13 Ws. N. of post

Land 2<sup>d</sup> rate. Timber Hackberry, Sugar &

---

West Connected between Sec. 11 & 14

40.63 set g. sec. post at aver. dist. from which

a Beech 6 in. dia. bears N 34 E 16 Ws. dist. &  
 a Buckeye 10 " " " S 40 W 11 " "

81.26 to sec. cor.

---

North between Sec. 10 & 11

15.50 a Stream 5 Ws. wide course SW

24.82 a Beech 14 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 42 W 35 Ws. dist. &

*Chas. S. M.* T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Hackberry 4 in. dia. bears S 18° W 5 M. dist.  
 50.75 an Ash 20 " "  
 80.00 an Elm 18 " " corner tree for sec. 2, 3, 10 & 11  
 from which  
 a Sycamore 30 in. dia. bears East 5 M. dist.  
 Land T. rate. Timber Ash, Walnut, Beech &c.

East in Random between Sec. 2 & 11

3.00 a Stream 5 M. wide course NW  
 40.00 set temp. g. sec. post  
 81.40 Intersect N. G. line 60 M. N. of post—  
 Land T. rate. Timber Hackberry, Beech &c.

West Connected between Sec. 2 & 11

40.70 set g. sec. post at aver. dist. from which  
 a Buckeye 14 in. dia. bears S 22° W 27 M. dist. &  
 a Do 12 " " " N 12° E 51 " "  
 81.40 to sec. cor.

North between Sec. 2 & 3

7.00 Fall Creek 100 M. wide course SW  
 27.15 a Beech 14 in. dia.  
 40.00 set g. sec. post from which  
 an Ash 10 in. dia. bears N 34° E 5 M. dist. &  
 a Do 14 " " " S 17° E 37 " "  
 51.90 a Beech 14 " "  
 80.90 Intersect N. Boundary 204 M. N. of post—  
 set post at intersection en. of sec. 2 & 3 from which  
 an Elm 20 in. dia. bears S 85° E 6 M. dist. &  
 a Beech 18 " " " S 47° W 20 " "  
 Land T. rate. Timber Beech, Oak, Ash, Elm &c.

North between Sec. 33 & 34

27.82 a Beech 14 in. dia.  
 40.00 set g. sec. post from which  
 a W. Oak 12 in. dia. bears N 72° W 11 M. dist. &

Ch. Lk. T. 17 N., R. 5 E. 2. Mer. Ind.

a Beech 12 in. dia. bears S 66 E 36 W. dist.  
 53.45 an Ash 12 "  
 80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
 a Sugar 14 in. dia. bears N 73 E 13 W. dist. &  
 a Buckeye 10 " " S 77 W 39 "  
 Land 2. rate. Timber Beech, Oak, Ash &c.

East on Random between Sec. 27 & 34

35.50 a Stream 5 Ws. wide course NNW  
 40.00 set temp. of sec. post  
 81.40 Intersect N & S. line 55 Ws. N. of post—  
 Land 2. rate brushy level. Timber Beech,  
 Oak, Hickory &c.

West Connected between Sec. 27 & 34

40.70 set of sec. post at aver. dist. from which  
 a Beech 14 in. dia. bears S 77 E 30 W. dist. &  
 a Do — " " S 40 W 26 "  
 81.40 to sec. cor.

North between Sec. 27 & 28

15.50 a Stream 5 Ws. wide course W.  
 27.20 a Beech 12 in. dia.  
 40.00 set of sec. post from which  
 a Beech 7 in. dia. bears S 40 E 25 W. dist. &  
 a Do 12 " " N 72 W 16 "  
 58.00 a Stream 10 Ws. wide course NNW  
 63.36 a Hickory 14 in. dia.  
 80.00 set post cor. of sec. 21, 22, 27, 28 from which  
 a Beech 10 in. dia. bears N 56 W 27 W. dist. &  
 a Do 10 " " S 33 E 5 "  
 Land 2. rate, brushy & broken. Timber  
 Beech, Oak, Hickory &c.

East on Random between Sec. 22 & 27

40.00 set temp. of sec. post

Ch. 81.33 T. 17 N., R. 5 E. 2. Mer. Ind.

81.33 Intersect N. & S. line 32 M. N. of port -  
Land 2. rate, level & brushy. Timber Beech &c.

West Corrected between Sec. 22 & 27

40.66 h set of sec. port at aver. dist. from which  
a Beech 18 in. dia. bears S 45° W 19 M. dist. &  
an Ash 7 " " " N 62° E 22 " "  
81.33 to sec. cor.

North between Sec. 21 & 22

15.11 a Beech 12 in. dia.

40.00 set of sec. port from which  
a Beech 10 in. dia. bears N 69° W 3 M. dist. &  
a W. Oak 36 " " " S 44° E 40 " "

58.20 an Ash 14 " "

80.00 set port cor. of sec. 15, 16, 21 & 22 from which  
a Buckeye 12 in. dia. bears S 65° W 13 M. dist. &  
an Elm 8 " " " N 74° E 18 " "  
Land 2. rate, brushy & broken. Timber as before

East on Random between Sec. 15 & 22

19.50 a Stream 5 M. wide course NW

40.00 set temp. of sec. port

62.00 a Stream 5 M. wide course SE

80.00 same stream " SW

81.39 Intersect N. & S. line 20 M. N. of port -  
Land 2. rate. Timber as before described.

West Corrected between Sec. 15 & 22

40.64 h set of sec. port at aver. dist. from which  
a Beech 6 in. dia. bears S 54° E 14 M. dist. &  
a Spr 10 " " " N 62° W 15 " "  
81.39 to sec. cor.

North between Sec. 15 & 16

0.50 a Stream 10 M. wide course W.

T. N. R. S. E. I. Mer. Ind.

Ch. Sk.

10.00 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 50 E 35 W. dist. 4

a Do 10 " " " N 69 W 12 " "

46.20 a Buckeye 12 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Beech 14 in. dia. bears N 13 W 11 W. dist. 4

a Do 12 " " " S 9 W 27 " "

Land 2<sup>d</sup> rate broken. Timber Oak Sugar &c.

Cart on Random between Sec. 10 & 15

10.00 Fall Creek 100 W. wide course NW

40.00 set temp. g. sec. post

76.50 Fall Creek course S.

81.35 Intersect N & S line 48 W. S. of post -

Land 1<sup>st</sup> rate. Timber Sugar, Ash &c.

West Corrected between Sec. 10 & 15

40.67 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 72 W 27 W. dist. 4

a Do 12 " " " N 88 E 41 " "

81.35 to sec. cor.

North between Sec. 9 & 10

14.00 Fall Creek 100 W. wide course W

16.73 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Hickory 20 in. dia. bears S 37 W 45 W. dist. 4

an Elm 24 " " " N 77 W 23 " "

55.00 a Oak 36 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Ash 4 in. dia. bears S 18 W 6 W. dist. 4

a Do 5 " " " N 25 E 25 " "

Land 2<sup>d</sup> rate.

Cart on Random between Sec. 3 & 10



*T. 17 N., R. 5 E. 2. Mer. Ind.*  
*Chas. M.*

40.00 set temp. gr. sec. post

75.50 Fall Creek course SW

81.00 Intersect N. S. line 25 W. S. of post —

Land 1<sup>st</sup> rate, Timber Hackberry, Sugar, Elm &c

---

West Corner between Sec. 3 & 10

40.50 set gr. sec. post at aver. dist. from which  
 a Hickory 10 in. dia. bears N 4 E 50 W. dist. &  
 a Hornbeam 12 " " " S 34 E 15 " "

81.00 to sec. cor.

---

North between Sec. 3 & 4

32.05 a Beech 14 in. dia.

40.00 set gr. sec. post from which

a Hackberry 12 in. dia. bears N 25 W 19 W. dist. &

a Beech 24 " " " S 67 E 19 " "

51.20 an Ash 20 " "

74.50 a Stream 10 W. wide course NW

87.15 Intersect N. Boundary 250 W. of post —

set post cor. of sec. 3 & 4 from which

a Beech 20 in. dia. bears N 84 E 10 W. dist. &

a Do 12 " " " N 72 W 25 " "

Land 2<sup>nd</sup> rate, Timber Beech, Oak, Ash &c

---

North between Sec. 32 & 33

24.51 a Sugar 14 in. dia.

40.00 set gr. sec. post from which

a Sugar 14 in. dia. bears N 40 E 15 W. dist. &

an Ash 20 " " " S 39 W 20 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 12 in. dia. bears N 80 E 17 W. dist. &

a Do 10 " " " S 70 W 12 " "

Land 2<sup>nd</sup> rate, broken shrubby, Timber Beech,  
 Oak, Hickory, Ash &c

---

East in Random between Sec. 28 & 33

T. 17 N., R. 5 E., 2<sup>d</sup> Mer. Ind.

Ch. Sp.

38.00 a Stream 10 Mts. wide course NW  
 40.00 set temp. of sec. post  
 60.00 same Stream course NW  
 80.85 Intersect N & S. line 10 Mts. S. of post -  
 Land 2<sup>d</sup> rate broken. Timber as before

---

West Connected between Sec. 28 & 33  
 40.42 set of sec. post at aver. dist. from which  
 a Sugar 10 in. dia. bears N 74 E 10 Mts. dist. &  
 an Ash 14 " " " S 3 W 30 " "  
 80.85 to sec. cor.

---

North between Sec. 28 & 29  
 3.50 a Stream 10 Mts. wide course NW  
 21.39 an Ash 18 in. dia.  
 28.00 a Stream 3 Mts. wide course NE  
 40.00 set of sec. post from which  
 a Poplar 20 in. dia. bears N 45 E 38 Mts. dist. &  
 an Elm 14 " " " South 5 " "  
 59.00 a Hickory 14 " "  
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 6 in. dia. bears N 5 E 10 Mts. dist. &  
 a Do 6 " " " S 5 E 3 " "  
 Land 2<sup>d</sup> rate brushy. Timber as before noted

---

East in Random between Sec. 21 & 28  
 40.00 set temp. of sec. post  
 50.00 a Stream 5 Mts. wide course NW  
 81.00 Intersect N & S. line 18 Mts. S. of post -  
 Land 2<sup>d</sup> rate, brushy beyond description

---

West Connected between Sec. 21 & 28  
 40.50 set of sec. post at aver. dist. from which  
 an Junwood 6 in. dia. bears S 44 W 18 Mts. dist. &  
 an Elm 10 " " " N 35 E 8 " "  
 81.00 to sec. cor.

---

camp 12

T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.

Ch. Lk.

North between Sec. 20 &amp; 21

21.00 an Ash 24 in. dia.

40.00 set g. sec. post from which

an Ironwood 14 in. dia. bears N 54° W 12 lbs. dist. &amp;

a Beech 18 " " " S 30° E 28 " "

62.80 a W. Oak 30 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a Buckeye 14 in. dia. bears N 39° W 13 lbs. dist. &amp;

a Beech 12 " " " S 22° W 19 " "

Land 2<sup>d</sup> rate & broken. Timber Beech, Hickory, Oak &c.

East on Random between Sec. 16 &amp; 21

25.00 a Stream 10 lbs. wide course NW

40.00 set temp. g. sec. post

50.00 a Stream 10 lbs. wide course SW

81.10 Intersect N &amp; S. line 10 lbs. N. of post —

Land 2<sup>d</sup> rate. Timber B. Oak, Hickory &c.

West Corrected between Sec. 16 &amp; 21

40.55 set g. sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 56° W 14 lbs. dist. &amp;

a Sugar 10 " " " S 77° E 22 " "

81.10 to sec. cor.

North between Sec. 16 &amp; 17

4.50 Fall creek course SW

28.00 touched Fall creek

34.00 touched same course SW

40.00 set g. sec. post from which

a Sycamore 24 in. dia. bears S 16° E 10 lbs. dist. &amp;

a Hackberry 4 " " " N 18° E 8 " "

42.00 touched Fall creek course SW

52.48 a W. Oak 24 in. dia.

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 from which

a Beech 14 in. dia. bears N 79° W 55 lbs. dist. &amp;

a Os 18 " " " S 10° W 40 " "

T. 17 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>  
 Chs. 9th.

Land 2<sup>d</sup> rate. Timber Hackberry, Buckeye, Oak &c.

East on Random between Sec. 9 & 16

27.50 Fall creek course S.

30.50 same " N.

35.00 same " SW.

40.00 set temp. of sec. post

68.50 touched same creek

81.00 Intersect N & S. line 9 hrs. S. of post -

Land 1<sup>st</sup> rate bottom. Timber Hackberry, Ash &c.

West Corrected between Sec. 9 & 16

40.50 set of sec. post at aver. dist. from which  
 an Ash 16 in. dia. bears N 85° W 30 hrs. dist. &  
 a Hackberry 12 " " S 44° E 19 " "

81.00 to sec. cor.

North between Sec. 8 & 9

17.40 an Ash 14 in. dia.

40.00 set of sec. post from which

a Sugar 12 in. dia. bears S 3° E 9 hrs. dist. &

a Dogwood 4 " " N 61° W 14 " "

59.04 a Beech 14 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Beech 6 in. dia. bears N 20° E 21 hrs. dist. &

a Do 5 " " S 63° W 14 " "

Land 2<sup>d</sup> rate. Timber Beech, Oak, Elm, Hick-  
 ory - level & brushy.

East on Random between Sec. 4 & 9

40.00 set temp. of sec. post

81.00 Intersect N & S. line 40 hrs. N. of post -

Land 2<sup>d</sup> rate. Timber Beech, Oak, Hickory &c.

West Corrected between Sec. 4 & 9

40.50 set of sec. post at aver. dist. from which

T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.  
Ch. L. M?

an Ash 12 in. dia. bears N 10 E 56 lks. dist. &  
a Maple 12 " " S 41 W 41 " "  
81.00 to sec. cor.

North between Sec. 4 & 5

17.83 an Ash 16 in. dia.

40.00 set of sec. post from which  
a Buckeye 6 in. dia. bears N 15 E 17 lks. dist. &  
a Hickory 7 " " S 33 E 2 " "

55.00 a Stream 10 lks. wide course SW

80.55 Intersect N. Boundary 359 lks. W. of post—  
set post at intersection cor. of sec. 4 & 5 from which  
a Hickory 10 in. dia. bears East 11 lks. dist. &  
an Elm 10 " " N 38 W 43 " "  
Land 2<sup>d</sup> rate flat & brushy. Timber Ash, Oak,  
Elm, Hickory & Wyp. Spruce

North between Sec. 31 & 32

24.93 a Beech 14 in. dia.

40.00 set of sec. post from which  
a B. Oak 20 in. dia. bears N 8 E 9 lks. dist. &  
a Beech 8 " " S 4 W 11 " "

53.61 a Hickory 12 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
an Ash 10 in. dia. bears North 26 lks. dist. &  
a Buckeye 12 " " S 5 E 33 " "  
Land 2<sup>d</sup> rate & broken. Timber Hickory,  
Ash, Beech, Elm &c.

East on Random between Sec. 29 & 32

2.00 a Stream 20 lks. wide course NW

40.00 set temp. of sec. post

75.50 same stream course SW

81.60 Intersect N & S. line at post—  
Land 2<sup>d</sup> rate.



T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Ch<sup>a</sup>. Sp<sup>a</sup>.

West Corrected between Sec. 29 &amp; 32

40.80 set g. sec. post at aver. dnt. from which  
 an Elm 12 in. dia. bears N 62° W 24 lbs. dnt. &  
 a Beech 14 " " N 83° E 10 " "

81.00 to sec. cor.

West between Sec. 30 &amp; 31

26.00 Fall Creek course SW

32.00 same " NW

38.50 same " S.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 49° W 4 lbs. dnt. &amp;

a Do — " " " S 72° W 23 " "

80.00 Intersect W. Boundary 63 lbs. N. of post —

set post at intersection cor. of Sec. 30 &amp; 31 from which

a Beech 12 in. dia. bears S 2° E 31 lbs. dnt. &amp;

an Ironwood 6 " " " N 2° E 18 " "

Land first half mile T.<sup>st</sup> rate, last half mile  
2<sup>d</sup> rate. Timber Beech, Oak &c.

North between Sec. 29 &amp; 30

3.50 a Stream 20 lbs. wide course NW

24.10 a B. Oak 20 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. dia. bears N 19° W 10 lbs. dnt. &amp;

a Sugar 12 " " " S 26° E 25 " "

52.68 an Ash 24 " "

54.50 Fall Creek course SW

80.00 set post cor. of Sec. 19, 20, 29 &amp; 30 from which

a Buckeye 6 in. dia. bears N 16° W 20 lbs. dnt. &amp;

a Do 6 " " " S 80° E 11 " "

Land T.<sup>st</sup> rate on last half mile, 2<sup>d</sup> rate on  
first half mile

East on Random between Sec. 20 &amp; 29

16.50 Fall Creek course SW.

T. 17 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>  
 Chas. L. M.

40.00 set temp. of sec. port

81.50 Intersect N & S. line at port -

Land 2. rate. Timber Beech, Oak, Ash, Hickory &c.

West Correlated between Sec. 20 & 29

40.75 set of sec. port at aver. dist. from which

a Beech 10 in. dia. bears N 44 W 22 Ws. dist. &

an Ash 30 " " " S 49 E 30 " "

81.50 to sec. cor.

West between Sec. 19 & 30

40.00 set of sec. port from which

a Beech 8 in. dia. bears N 27 W 28 Ws. dist. &

a Dr 10 " " " S 48 E 35 " "

70.00 a Stream 10 Ws. wide course S.

79.75 Intersect W. Boundary 70 Ws. S. of port -

set port at intersection cor. of sec. 19 & 30 from which

an Elm 14 in. dia. bears N 6 E 4 Ws. dist. &

a Hackberry 14 " " " S 14 E 33 " "

Land 2. rate. Timber Beech, Oak &c.

North between Sec. 19 & 20

25.82 a Beech 14 in. dia.

40.00 set of sec. port from which

a Beech 12 in. dia. bears N 35 W 23 Ws. dist. &

a Dr 14 " " " S 4 W 28 " "

67.00 an Ash 18 " "

80.00 set port cor. of sec. 17, 18, 19 & 20 from which

an Ash 18 in. dia. bears N 7 W 8 Ws. dist. &

a Beech 10 " " " S 36 E 8 " "

Land 2. rate. Timber as before described.

East on Random between Sec. 17 & 20

40.00 set temp. of sec. port

75.85 Fall Creek course SW

81.00 Intersect N & S. line 10 Ws. N. of port -

T. 17 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>  
 Ch. 1. 10.

Land 2<sup>d</sup> rate & broken. Ash, Oak, Hickory &c.

West Connected between Sec. 17 & 20

40.50 a Beech 10 in. dia. corner tree at avor. dirt. from  
 which a Sugar 18 in. dia. bears N 33 E 18 W. dirt.  
 81.00 to sec. cor.

West between Sec. 18 & 19

24.00 a Stream 20 W. wide course SW

40.00 set gr. sec. post from which  
 a Beech 10 in. dia. bears S 31 W 27 W. dirt. &  
 a Do 10 " " " N 57 E 13 " "

41.50 a Spring branch, course SE

55.00 a Do " SE

79.39 Intersect W. Boundary 109 W. S. of post —  
 set post at intersection cor. of sec. 18 & 19 from which  
 a Hickory 12 in. dia. bears N 20 E 18 W. dirt. &  
 an Ash 20 " " " N 44 W 20 " "  
 Land 2<sup>d</sup> rate. Timber as before described.

North between Sec. 17 & 18

36.08 a Beech 10 in. dia.

40.00 set gr. sec. post from which  
 a Beech 14 in. dia. bears N 69 W 28 W. dirt. &  
 a Do 12 " " " S 44 E 20 " "

61.00 a Sugar 20 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which  
 a Beech 12 in. dia. bears N 10 E 18 W. dirt. &  
 a Hickory 16 " " " S 29 E 20 " "  
 Land 2<sup>d</sup> rate. Timber same as last described.

East on Random between Sec. 8 & 17

40.00 set temp. gr. sec. post

80.62 Intersect N. & S. line 16 W. N. of post —  
 Land flat & 2<sup>d</sup> rate

T 17 N., R. 5 E. 2. Mer. Ind. a  
Ch. 1. 17.

West Connected between Sec. 8 & 17

40.31 set g. sec. port at arce. dint. from which  
an Ark 16 in. dia. bears N 69 W 16 W. dint. &  
a Dr — " " " S 78 E 19 " "

80.62 to sec. cor.

West between Sec. 7 & 18

33.00 a Stream 10 W. wide course S.

40.00 set g. sec. port from which

a Sugar 20 in. dia. bears N 78 E 22 W. dint. &  
a Dr — " " " S 78 W 23 " "

79.50 Intersect W. Boundary 115 W. S. of port —

set port at intersection cor. of sec. 7 & 18 from which  
a Beech 12 in. dia. bears North 33 W. dint. &

a Dr 12 " " " S 33 E 20 " "

Land 2. rate. Timber Beech, Oak, Hickory

North between Sec. 7 & 8

24.80 a Beech 12 in. dia.

40.00 set g. sec. port from which

an Ark 12 in. dia. bears N 43 W 31 W. dint. &

a Dr 20 " " " S 8 E 3 " "

61.45 a Beech 14 " "

70.00 a Stream 10 W. wide course W

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Hornbeam 6 in. dia. bears S 60 W 22 W. dint. &

a Beech 20 " " " N 60 E 24 " "

Land 2. rate & brushy. Timber Beech, Ark &

East on Random between Sec. 5 & 8

13.00 a Stream 10 W. wide course SW

40.00 set temp. g. sec. port

80.50 Intersect N & S. line 70 W. N. of port —

Land 2. rate. Timber Beech, Oak, Hickory &c.

West Connected between Sec. 5 & 8

T. 17 N., R. 5 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch<sup>a</sup>. Sk<sup>a</sup>.

40.25 set q. sec. post at a res. dist. from which  
 a Beech 6 in. dia. bears North 70 Ws. dist. &  
 a Dr 12 " " " S 11 W 16 " "  
 80.50 to sec. cor.

West between Sec. 6 & 7

40.00 set q. sec. post from which  
 a Hornbeam 5 in. dia. bears N 52 W 5 Ws. dist. &  
 an Ash 14 " " " S 10 E 5 " "  
 79.75 Intersect W. Boundary 12 1/2 Ws. S. of post -  
 set post at intersection cor. of sec. 6 & 7 from which  
 a Beech 14 in. dia. bears S 57 W 20 Ws. dist. &  
 a Dr 10 " " " N 45 E 39 " "  
 Land 2<sup>d</sup> rate & level. Timber as before noted.

North between Sec. 5 & 6

23.50 a Stream 5 Ws. wide course SE  
 30.92 a W. Oak 20 in. dia.  
 40.00 set q. sec. post from which  
 a Buckeye 10 in. dia. bears N 14 E 25 Ws. dist. &  
 a Beech 12 " " " S 6 E 34 " "  
 50.95 an Ash 18 " "  
 54.00 a Stream 5 Ws. wide course NW  
 85.60 Intersect N. Boundary 340 Ws. W. of post -  
 set post at intersection cor. of sec. 5 & 6 from which  
 an Ironwood 4 in. dia. bears West 10 Ws. dist. &  
 a Beech 12 " " " S 54 E 15 " "  
 Land 2<sup>d</sup> rate & level. Timber Beech, Oak, Hickory,  
 Elm, Ash &c.  
 Surveyed in 1821 by W. B. Laughlin  
 Deputy Surveyor.



*Chas. H. H.*  
T. 17 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

I certify that the foregoing transcript of Field Notes of the survey of Township N<sup>o</sup> 17 North, of Range N<sup>o</sup> 5 East of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, January 11. 1845.

William Johnston -  
Sur. Genl.